

MEGALOCHARI XII



PARTICULARS

Vessel Type	Salvage Tug
IMO Number	9248734
Port of Registry	Piraeus
Year Built	2000
Classification	BV, Unrestricted navigation

DETAILS

Length Overall	34.90 m
Breadth	10.6 m
GRT-NRT	452 / 135
Depth Moulded	5 m
Maximum draft	4 m
Max Speed/Consumption 24h	13.7 kn / 10 m ³
Economical speed/Consumption 24h	10 kn / 6 m ³
Bollard Pull	51.2 t
Sewage Plant	MINI BLOCON 106 l/h
Joystick	2 x WHEELHOUSE

CAPACITY

Fuel Oil	260 m ³
Potable Water	47.7 m ³
Sewage	8.4 m ³

MACHINERY

Main Engines	2 x Yanmar 8N21A-EN, 1800 BHP each
Generators	2 x CUMINS - 6BTA-5.9-M2 133 BHP – 99 KW each
Propulsion	2 x Fixed pitch

ACCOMMODATION

Berths	12
Total	10

FIRE FIGHTING

Monitors 2
Pumps 1 x NUHVIS 720 m³

DECK EQUIPMENT

Towing Winch

Type Single drum with remote control on deck and wheelhouse
Pull 20 t
Wire Capacity 500 m x 48 mm
Brake 70 t

Towing Hook


Type Disc, single arm, WLL 60 t

Other Deck Equipment

Hydraulic Crane Palfinger PK10000– 1.120t@ 12.40m reach /PLIMSOL
700kg@ 5.06m reach

LIFESAVING

Liferafts 2x EV SOLAS CE 16P - ZODIAC ZMEC 16P
Lifejackets 6 x OCEANIC150 – 13 x HUAYAN 5564-1
Lifebuoys 8 x TAURUS 0575/11



PRINCIPAL PARTICULARS	
LENGTH O.A.	= 34,9 m
LENGTH W.L.	= 33,5 m
BEAM W.L.	= 10,0 m
DEPTH W.L.	= 5,8 m
DRAUGHT DESIGNED	= 4,8 m
FRESH WATER	= 45,0 m ³
FUEL OIL	= 300 m ³
COMPLEMENT	= 12 MEN
MAIN ENGINES	= 2 x 1000 HP

REV. No.	DATE	COMMENTS

EP MARINE CONSULTING S.A.
Address: 21-23, Leosthenous Str, 14586 Piraeus Greece
Tel: +30 210 4537544 / 4537541, Fax: +30 210 4184351
e-mail: co.technical@epmarine.net

The information shown on this drawing is the sole property of E.P. Marine Consulting S.A. No part of the drawing may be copied or reproduced or transmitted by any means without the permission of E.P. Marine Consulting S.A. Please refer to:

SHIP'S NAME: **P/K "MEGALOCHARI XII"**

YEAR OF BUILD: _____ IPD No: _____

SHIP TYPE:	WORK No:
DRY DOCK OR YARD:	NO. CO:
SHIPYARD:	DRAWING No.:
OFFICIAL No.:	SCALE:
	CLASSIFICATION:

GENERAL ARRANGEMENT

Particulars are believed to be correct but are not guaranteed. All figures given are approximate only. Owners reserve the right to amend the specifications without notification.